



PORTICO

# Long-Term Preservation and Standards: An Uneasy Alliance

Evan Owens  
Chief Technology Officer  
[evan.owens@portico.org](mailto:evan.owens@portico.org)  
[www.portico.org](http://www.portico.org)



## This Presentation

- Prologue
- Part I: Digital Preservation and Standards
  - Lighting Overview of Preservation, Standards
  - Key Preservation Standards and Concepts
  - Limitations of Standards
- Part II: Some Standards War Stories
  - MS Office 2003 SP 3 & Obsolete Formats
  - TIFF & PDF/A
  - MS IE 8.0 & Web Standards
- Part III: Portico's Experiences in Digital Preservation
  - Portico Business & Technology Summary
  - Current State of E-Journal Publishing Practices & Standards
- Epilogue
  - Some Musicological Metaphors
  - Visions from the Past and Questions for the Future



## PROLOGUE

*Long term preservation requires that we store content on at least three continents, using three different operating systems, and under three different political systems*

— Dale Flecker, Harvard University Library



PART I

Digital preservation and Standards



## Preservation of Digital Objects

- Ensuring Long-Term Viability (Usability)
- 20, 50, 100 Years From Now, Can We
  - read the files?
  - understand the structure of the files?
  - be sure that we have an authentic copy of the work?
- Layers
  - Physical Layer: storage media
    - *Necessary but not sufficient*
  - Logical Layer: file formats, structured data
    - *Significant properties*
  - Conceptual/Intellectual Layer: the “work”
    - *Multiple representations over time*
- Approaches to Preservation
  - Emulate (or maintain) the original technology
  - Migrate (and/or normalize) to currently supported formats
  - Byte preserve for future digital archeologists
- “Interoperability with the Future”
  - Can we interoperate today?



## Digital Preservation is Everyone's Problem

- Cultural Memory Institutions
  - Libraries, Archives, Museums
- Research Organizations
  - Universities, Laboratories, Data Centers
- Government Agencies
  - US GPO, NARA
- Corporations
  - Regulatory compliance, Business continuity
- Private Individuals
  - Personal digital content
  - Collections of licensed and free content

*But it isn't exactly the same problem from everyone!*



## Varieties of Digital Preservation Projects

- Library and other digitization projects
  - Controlled environments; potential for good metadata
- Web site harvesting
  - Uncontrolled environment; minimal metadata available
- Electronic records and business data
  - Potential for lots of control; mandatory metadata and formats
- Published electronic content
  - Semi-controlled; good descriptive metadata; variable or no technical metadata
- Scientific data
  - Enormous quantities
  - High expectations for long-term usability

*One size solution will not fit all!*





## Explosion of Digital Preservation Activities

- Traditional Players
  - National archives and libraries
  - Digital library community (e.g., CNI, DLF, JCDL, ECDL)
- New Organizations and Projects
  - Digital Preservation Coalition (UK, 2001)
  - Erpanet (EU, 2002?); now DigitalPreservationEurope
  - Digital Curation Center (UK, 2004)
  - National Digital Information Infrastructure and Preservation Program (US)
- Courses, Workshops, Conferences
  - Erpanet, DCC, DPC, Cornell, etc.
  - IS&T Archiving Conferences (from 2004)
  - International Conference on Preservation of Digital Objects (from 2004)
  - International Digital Curation Conference (from 2005)

*This is all pretty recent!*



## One of Many Commercial Solutions...But to Which Problem?

**KOM Networks - STORAGE, The way you want it - Mozilla Firefox**

File Edit View History Bookmarks Tools Help

http://www.komnetworks.com/index.html

KOM Networks - STO... IT Manager's Journal :: T...

**KOM NETWORKS** *Secure Archives Made Simple* Search

Home Products Solutions Support Partners How to Buy About KOM Contact Us

**KOMpliance** Starting at **\$9,995.00**

**Affordable Archives Made Simple**  
A turn-key network attached appliance that delivers a secure federated digital file archive environment. Secure WORM Hard Disk based Archives Powered by Windows Storage Server 2003 R2.

WORM Hard Disks  
Encryption (AES-256)  
Secure Data Shredding  
Transparent Access  
Enforced Retention

**COMpliance Performance Test Results**  
"This is one of the most efficient ingestion rates we have seen." Jon Toigo  
[read more...](#)

**Latest News & Events**

- ▶ Hiding in plain sight...
- ▶ KOM Storage Award Winner...
- ▶ Hyland Adds e-WORM support...

**Archive Solutions**

- ▶ ECM, DMS, ERP, HIS, and PACS)
- ▶ Meeting Regulatory Compliance
- ▶ Fixed Content Archive (e-WORM)
- ▶ Implementing Policy Driven ILM
- ▶ Industry solutions such as Financial, Healthcare, and Government

**A world of experience...**

"Microsoft recognizes KOM Networks as a new Gold Certified Partner for demonstrating its expertise providing customer satisfaction using Microsoft products and technology."  
*Allison Watson, Microsoft Corporation*

**Microsoft GOLD CERTIFIED Partner**

Coming Soon...  
**Small Business Archive**  
For More Info call 1-888-556-6462  
Email [sales@komnetworks.com](mailto:sales@komnetworks.com)

Products · Solutions · Support · Partners · How to Buy · About KOM

© 2007 KOM Networks · Privacy · Disclaimer


Done zotero

## Some Milestones in the Short History of Digital Preservation

- Garrett, John, and Don Waters. *Preserving Digital Information: Report of the Task Force on Archiving of Digital Information*. Task Force on Archiving of Digital Information, 1996. 64.  
<http://www.rlg.org/ArchTF/>
- *Reference Model for an Open Archival Information System - OAIS*. National Aeronautics and Space Administration - Consultative Committee for Space Data Systems, 2002. 148.  
<http://public.ccsds.org/publications/archive/650x0b1.pdf>
- *Trusted Digital Repositories: Attributes and Responsibilities*. Mountain View, CA: RLG-OCLC, 2002. 70.  
<http://www.rlg.org/longterm/repositories.pdf>
- *An Audit Checklist for the Certification of Trusted Digital Repositories: Draft for Public Comment*. Mountain View, CA: RLG and NARA, 2005. 65. [http://www.rlg.org/en/page.php?Page\\_ID=20769](http://www.rlg.org/en/page.php?Page_ID=20769)




## The Ubiquitous OAIS Functional Model Diagram




Reference Model for an Open Archival Information System (OAIS),  
CCSDS 650.0-B-1 (BLUE BOOK), January 2002, page 4-1.




OAIS Goes Commercial: from a Hitachi Brochure



## OAIS Preservation Planning



## OAIS Information Model



## Select Technical Features of Preservation

From *Preservation in the Age of Large-Scale Digitization*, Oya Y. Rieger, CLIR, February 2008

- Creation of a repository model to ingest, monitor, manage, and archive digital objects and associated metadata, files, and scripts
- Development and implementation of an ingest workflow and quality control measures to verify authenticity and completeness of ingested content
- Creation and management of preservation metadata (including technical metadata)
- Identification of properties to preserve in digital objects
- Continuous monitoring and management of digital content to detect bit corruption, loss, or obsolescence
- Record of provenance and change history for all objects






## Select Technical Features of Preservation, Cont.

- Programs in support of various preservation strategies, including refreshing, migration, replication, normalization, and emulation (both for preventive measures and for staying abreast of standards and technologies)
- Disaster-prevention, recovery, and contingency plans
- Periodic review and updating of preservation procedures
- Mechanisms for monitoring triggers for preservation action (e.g., file format migration, file corruption)
- Security measures
- Technical audits



Standards are Great: Everyone Should Have One!



## A Taxonomy of Standards

- Political Context of Standards
  - Voluntary (de facto) or Mandatory (de jure)
  - Public, Proprietary, Open
- Types of Standards (from Wikipedia article on standards)
  - Specification for Item, Material, Component, System, or Service
    - *File formats, Fixity checks, Metadata*
  - Test Methods
    - *Format validation*
  - Procedure or Practice
    - *Trusted Repositories checklist*
  - Definition or Terminology
    - *OAIS Reference Model*
- Role of Standards
  - Codify existing best practices
    - *Acid-free paper*
  - Enable new practices or technologies
    - *Web standards*



MetaMap - Windows Internet Explorer

http://www.mapageweb.umontreal.ca/turner/meta/english/metamap.html

Participate to the translation process!

## MetaMap

Position the mouse over an acronym to see what it stands for in a popup window.  
Click on the acronym to see its definition and a link to its official site.

**Legend**

- Creation
- Organisation
- Dissemination
- Preservation
- Organisations
- Libraries
- Archives
- Museums
- Still images
- Moving Images
- Sound
- Text

©2004 MetaMap version 1.2 presented by James M Turner, Véronique Moal and Julie Desrosiers

[Access to the acronym index](#)



The screenshot shows a Mozilla Firefox browser window titled "MetaMap - Mozilla Firefox". The address bar contains the URL `http://www.mapageweb.umontreal.ca/turner/meta/english/metan`. The page content includes a navigation menu on the left with "XML Pa", "Locati", and "Line N". A central heading reads "MetaMap". Below the heading is a instruction: "Position the mouse over an acronym to see what it stands for in a popup window. Click on the acronym to see its definition and a link to its official site." A red-bordered box highlights an XML error: "XML Parsing Error: prefix not bound to a namespace" with the location "http://www.mapageweb.umontreal.ca/turner/meta/english/me" and "Line Number 309, Column 1:". The error message is followed by the XML code snippet: `<a id="jass" xlink:href="dissemination.html#jass" target="blank">`. A status bar at the bottom left shows "Done" and a Zotero icon is visible at the bottom right.



## File Format Standards

- Standard Names for Formats?
  - Promise of the Global Digital Format Registry project
- Format Contexts
  - Mass Market: General Public
    - *Documents (MS Office, PDF), Images, Media*
  - Broad: Cross Industry
    - *Geo-spatial data, CAD*
  - Narrow: Industry-Specific
    - *Industry DTDs & Schemas*
    - *Discipline-Specific Scientific data formats*
  - Very Narrow: Company-Specific
    - *Proprietary DTDs & Schemas*
- An Ideal Format Standard would
  - have two independent implementations
    - Create objects according to the standard
  - have two independent validations
    - Verify conformance of objects to the standard
  - be freely available
  - be less than 1000 printed pages



## Limitations of Standards in Preservation

- Technology standards don't stand still
  - SGML in 1986
  - XML 1.0 in 1998
  - XML 2.0?
- Technology standards are often driven by commercial motivations
  - Change for change's sake
    - Feature bloat
  - Planned obsolescence
  - Battle of the market place
    - MS Word versus WordPerfect
- Standards creation can be immensely political
  - E.g., OpenXML, IE 8 and web standards
- Measuring standards conformance isn't always easy
  - Validity doesn't always equate to usability
- Standards and applications don't always agree
  - HTML browsers, Acrobat Reader



## A Personal Reminder of the Evolution of Standards: My Computing Environment circa 1985



- Computer: Epson QX-10
- CPU: Z80 4 MHz 256K RAM
- Operating System: CP/M-80
- Storage: 5-1/4" floppy disk
- Output: continuous-feed paper, daisy-wheel printer
- Software: Wordstar 3.x, dBASE II

<http://www.obsoletecomputermuseum.org/qx-10/>





PART II

Some Standards War Stories



## Standards War Stories: MS Office 2003 SP 3

- MS Office 2003 Service Pack 3 prevents opening older formats
- Blocked formats:
  - MS Word before 6.0
  - Lotus and Quattro spreadsheet formats
  - Corel Draw
  - Excel 4.0 Charts
  - dBASE II
  - PowerPoint prior to PowerPoint 97
- Full details at <http://support.microsoft.com/kb/938810>
  - A patch to undo the change is available
- Is this the beginning of the end of MS Office support for older formats?
- Library of Congress has asked Microsoft to comment
- OAIS Preservation Planning model suggest that we should begin thinking about migrations for these formats



## Standards War Stories: TIFF and PDF/A

- Portico executing a planned migration test of TIFF to PDF/A
  - Time frame was Summer 2007; all results now obsolete
  - Research question:
    - What conversion tool produces valid PDF/A?
    - What validation tool can correctly identify the results as PDF/A?
- Conversion tools
  - Four tools tested, none created valid PDF/A
  - One vendor agreed to fix problem; released new version
- Validation tools
  - Four tools tested, only one correctly identified the problems
- Key problem
  - Design weakness in PDF that allows key metadata to be stored twice
  - Ambiguity in the PDF/A specification about how closely the two sets of metadata must match
- Surprise result
  - Adobe Acrobat 8 behaves badly: it rewrites what is in the file without warning



## Standards War Stories: MS IE 8 & Web Standards

- Microsoft Internet Explorer is famous for standards non-compliance
- Should IE 8.0 default to standards or to IE 7.0's non-standard behavior?
  - Enormous fuss in community
  - Microsoft changed its position
- From their press release:
  - Consistent with its efforts to promote further interoperability across the Web, Microsoft Corp. is now configuring the settings in Internet Explorer 8, the upcoming version of its browser, to render content — by default — using methods that give top priority to Web standards interoperability. ...
  - “This is obviously a complex issue, with important considerations on both sides,” Ozzie said. “On one hand, there are literally billions of Web pages designed to render on previous browser versions, including many sites that are no longer actively managed. On the other hand, there is a concrete benefit to Web designers if all vendors give priority to interoperability around commonly accepted standards as they evolve. After weighing these very legitimate concerns, we have decided to give top priority to support for these new Web standards.





Working together for standards  
The Web Standards Project

Search WaSP

GO!

Home | About | Learn | Action | Buzz | Press

## Street Team: Make Your Mark

By [Glenda Sims](#) | March 8th, 2008 | Filed in [Web Standards \(general\)](#), [Training, Outreach, General](#), [Street Team](#)

The WaSP Street Team launches its first community project: bookmarks which you can place in libraries, schools, and bookstores to help signal to readers that the material is out of date.

### Warning! This Book Could Be Hazardous to the Web!

How many outdated web design and development books are lurking in your local library, school or college, waiting to corrupt an innocent mind? Want to warn the unsuspecting of these hazardous materials while encouraging librarians to update their shelves? Join the WaSP Street Team by downloading and printing copies of these [bookmarks \(PDF 3.4MB\)](#). Then place these bookmarks in harmfully outdated books.

Want to see the bookmarks in action and hear what you have been up to - upload your photos to Flickr and add them to the [WaSP Street Team Bookmarks group](#), tag any photos or blog posts with *waspstreetteam*.

Your mission, should you decide to accept it, will be to track down and identify dangerously outdated web resources and expose them as the misleading charlatans they truly are.

### Common Crimes Against the Web:

- Using table layout (*rather than CSS layout*)
- Abusing (X)HTML markup (*rather than using semantic markup*)
- Building inaccessible sites (*rather than insuring that all content and functionality are available to people with disabilities*)
- Creating pages that only work in non-standards compliant browsers (*rather than coding to web standards then hacking back for deviant browsers*)

**Caution:** As much as these books need to be removed from public circulation and replaced with [good books](#), you should never attempt to harm or destroy outdated books. Please treat these inaccurate tomes as ancient museum relics. Remember, that in addition to providing free access to knowledge, libraries are charged with maintaining history. All we are trying to accomplish here is to move these relics over to the outdated archives, you know, next to the "world is flat" and "pluto is a planet" sections.

<http://www.webstandards.org/2008/03/08/street-team-make-your-mark/>



PART III

Portico's Experiences in  
Standards-Based  
Digital Preservation



## Portico Business Summary

- A permanent archive of scholarly literature in electronic form
  - All preservation and access rights secured by irrevocable contractual agreements
- Initial content area is E-Journals
  - 50 participating publishers
  - 7,334 journal titles committed
    - 5,562 titles with post cancellation access through Portico
  - 425 participating libraries from 11 countries
  - 6,142,211 articles archived; >14M articles committed
    - > 60 Million files
    - 94 file formats
- Currently ingesting an average of 1 million articles per month
  - 10 million files
  - 100 GB of METS/PREMIS/JHOVE metadata per month
- Start-up funding by Andrew W. Mellon Foundation, JSTOR, Ithaka, and Library of Congress NDIIPP



## Portico Technology Summary

- OAIS-compliant repository designed for managed preservation
- Key influences:
  - OAIS, GDFR, PreMIS, METS, MPEG-21, ARK
- Key technologies:
  - XML, XML schema, Schematron, JHOVE, NOID
  - Documentum, Oracle, Java, JMS, LDAP
  - Format Registry
- Archive design goals:
  - Content preserved in application-neutral content using open standards
    - METS, PREMIS, JHOVE
  - A “Bootstrapable Archive”
    - XML plus digital objects
- Ingest system design goals:
  - Pluggable tools to facilitate new providers and replacement tools
  - Configurable workflows for different content types
  - Scalable to very high content volumes






## Portico Preservation Policies


- Format-based migration strategy
  - Driven by Portico Format Registry
- Preservation policies:
  - Fully supported
  - Reasonable effort
  - Byte-preserve only
- Preservation policies based on
  - Format validity
  - File format action plans and archive capabilities
  - Business rules such as publisher preferences
- Archive must also preserve supporting information
  - Required files such as DTDs and entity files
  - Documentation
  - Contracts
  - Archive policy documents
  - Archival actions documents



## Portico Systems Overview



# PORTICO



## Result: 100s of Gigabytes of Preservation Metadata

```
• AACCA_PMETS_1.xml* x
1 |<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
2 |<PorticoMETS CONTENTIDS="ark:/27927/tc517f6d" CONTENTSET="ISSN_00014826"
3 |   CONTENTTYPE="E-Journal Content" CONTENTUNIT="Article" OBJID="ark:/27927/tc530jdc"
4 |   PROFILE="PorticoMETS 1.2 based on METS 1.4"
5 |   xsi:schemaLocation="http://www.portico.org/standards/Public/XML/schema/PorticoMETS/1.2/ http://www.portico.o
6 |   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
7 |   xmlns="http://www.portico.org/standards/Public/XML/schema/PorticoMETS/1.2/">
8 |   <metsHdr CREATEDATE="2008-01-18T13:09:18.109-05:00">
9 |     <agent ROLE="CREATOR">
10 |       <name>Portico Content Preparation System v1.1.0</name>
11 |     </agent>
12 |   </metsHdr>
13 |   <structMapContent>
14 |     <div AGREEMENT="AACCA Agreement, Version 1.0, April 12, 2007"
15 |       AGREEMENTIDS="ark:/27927/ps011jg" CONTENTIDS="ark:/27927/tc517f6d" LABEL="Article"
16 |       TYPE="Content Unit">
17 |       <mdGroup>
18 |         <descMDcurated CONTENTIDS="ark:/27927/tc517n06"
19 |           CREATED="2008-01-18T13:24:34.624-05:00" VERSION="1.0">
20 |           <mdWrap>
21 |             <xmlData>
22 |               <ns1:PorticoArticleMetadata
23 |                 xsi:schemaLocation="http://www.portico.org/standards/Public/XML/schema/PorticoArtic
24 |                 sort-key=" ISSN_00014826 83 1 157 "
25 |                 schema-version="1.1" metadata-type="curated"
26 |                 display-label="ISSN_00014826 v83 n1 p157-184"
27 |                 xmlns:ns1="http://www.portico.org/standards/Public/XML/schema/PorticoArticleMetada
28 |                 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
29 |                 <ns1:article xml:lang="en"
30 |                   article-type="research-article">
```

## E-Journal Content Processing

- Inputs
  - Per article: one text or metadata file, zero or more other files
  - Arbitrary (publisher-specific) collections of data
    - Proprietary file & directory naming conventions
    - Proprietary formats
  - Undocumented business rules hidden in the data
  
- Outputs
  - Content packaged in Portico METS
  - Metadata: technical, descriptive, events
  - Content restructured to Portico content model
    - Article component structure documented
  - Content normalized as per preservation plans
    - Proprietary publisher DTDs converted to NLM Archival DTD
    - PDF created from TIFF as needed



## E-Journal Publishing Environment

- Publisher system changes
  - To new delivery vendors
  - To new delivery platforms
- Publisher content changes
  - To NLM DTD
  - Adding digitized print
- Variety of content formats per publisher
  - Current e-journals
  - Older e-journals
  - Digitized print
  - Averaging 2.4 per publisher thus far; will go down
- Consultative role for Portico
  - Publishers eager for outside comments on production issues
  - Exchanging data brings out questions & identifies weaknesses
    - Especially for publishers who do not currently exchange data



## E-Journal Content: Good, Bad, and Ugly

- Portico's automated and manual quality control has revealed a wide range of problems with published e-journal content, most of which were also wrong on the publisher's web site
- Bad Files
  - TIFF, JPEG, GIF
  - PDF problems of all sorts
  - XML not parsed
  - XML tag abuse
- Missing Files
  - Graphics
- Missing Articles
  - Missing from publisher web sites
- Mangled Metadata
  - CrossRef has this problem also

E-Journal Content Management is relatively new; lots of room for improvements in practices and standards.



## E-Journal Publishing Problem Areas: Standards or Lack Thereof

- Content management and quality control
  - Documentation, naming, packaging
    - *No real standard except perhaps Elsevier dataset.toc*
  - Production content: PDF, XML, graphics
    - *NLM Tag set for XML and emerging standard*
  - Author-supplied supplemental content: various formats
    - *No standards, common practices, or even nomenclature*
- Content Identification and Linking
  - Use of persistent identifiers
    - *DOI is a terrific success*
- Versions and revisions
  - Differences between renditions (HTML, PDF, print, XML/SGML)
  - Identification of updates
    - *No standard practice regarding revisions and updates*
- Issue-level content for E-Journals
  - Covers, front matter, back matter
    - *Emerge best practice to include front & back in PDF*





## Portico's Preservation Approach for E-Journals

- Source file archiving
  - Preserve the components not the rendition
  - Include high-resolution files (PDF and figures) if available
  - All e-only components (data, media, etc.)
  - SGML / XML structured text by preference
    - HTML as last resort
- Preserve intellectual content not “look and feel” of HTML
  - HTML renditions are an artifact of current technology
    - Often dynamically generated
    - Fragile technology, overdue for change
- Preserve only essential features of the user interface
  - Reference linking, other content-based features
  - Not generic navigation or search or e-commerce features
- Why this approach?
  - Based on Mellon-funded study by Harvard University Library
  - Based on practical realities of works with multiple manifestations
  - Based on assessment as to instability of current web technologies



## Astrophysical Journal, 1995 HTML on 2002 Browser

PKS 2349-014, Title Page - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location: <http://www.seagoat.com/Epubs/eaj/v447n1/0133/0133.html> What's Related

THE ASTROPHYSICAL JOURNAL, 447:L1-L4, 1995 July 1  
© 1995. The American Astronomical Society. All rights reserved. Printed in U.S.A.

Next: §1. [INTRODUCTION](#)  
Up: [Issue Table of Contents](#)  
Go to: [\[Ranked Search\]](#) [\[Boolean Search\]](#)

## PKS 2349-014: A Luminous Quasar with Thin Wisps, a Large Off-Center Nebulosity, and a Close Companion Galaxy [\[1\]](#)

**John N. Bahcall and Sofia Kirhakos**

Institute for Advanced Study, School of Natural Sciences, Princeton, NJ 08540

and  
**Donald P. Schneider**

Department of Astronomy and Astrophysics, Pennsylvania State University, University Park, PA 16802

*Received 1995 March 6; accepted 1995 April 25*

### ABSTRACT

*Hubble Space Telescope (HST) images (WFC2) of PKS 2349-014 show that this luminous nearby quasar is interacting with diffuse (presumably galactic) material. Two thin wisps that have a total extent of about 20 kpc (for  $H_0 = 100 \text{ km s}^{-1} \text{ Mpc}^{-1}$  and  $\Omega_0 = 1.0$ ) are observed to approximately surround the quasar. One of the wisps appears to pass through a companion galaxy that is located at a projected distance of 3 kpc from the center of the quasar light. The companion galaxy, if located at the distance of PKS 2349-014, has an intrinsic size and luminosity similar to the Large Magellanic Cloud. A faint extended nebulosity, which is detected over a region of  $35 \text{ kpc} \times 50 \text{ kpc}$  and is centered about 5 kpc from the quasar nucleus, overlaps the wisps. The immediate environment of PKS 2349-014 is different from the environments of the other eight luminous quasars that we have studied previously with HST. If the multiple light components of the HST images are fit to a single de Vaucouleurs profile, as was done in previous analyses of ground-based data, then the result obtained for the total luminosity of the model galaxy is in agreement with the earlier ground-based studies.*

Document Done

## Astrophysical Journal, 1998 HTML on 2002 Browser

PKS 2349-014 - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location: <http://www.journals.uchicago.edu/ApJ/journal/issues/ApJL/v447n1/0133/0133.html> What's Related

THE ASTROPHYSICAL JOURNAL, 447:L1-L4, 1995 July 1  
© 1995. The American Astronomical Society. All rights reserved. Printed in U.S.A.

Up: [Issue Table of Contents](#)  
Go to: [Search Page](#) | [Next Article](#)  
Other formats: [HTML \(small files\)](#) | [PDF page images \(1332kb\)](#)

**SEE ERRATUM**

## PKS 2349-014: A Luminous Quasar with Thin Wisps, a Large Off-Center Nebulosity, and a Close Companion Galaxy <sup>1</sup>

JOHN N. BAHCALL AND SOFIA KIRHAKOS

Institute for Advanced Study, School of Natural Sciences, Princeton, NJ 08540

AND

DONALD P. SCHNEIDER

Department of Astronomy and Astrophysics, Pennsylvania State University, University Park, PA 16802

*Received 1995 March 6; accepted 1995 April 25*

**ABSTRACT**

*Hubble Space Telescope (HST) images (WFC2) of PKS 2349-014 show that this luminous nearby quasar is interacting with diffuse (presumably galactic) material. Two thin wisps that have a total extent of about 20 kpc (for  $H_0 = 100 \text{ km s}^{-1} \text{ Mpc}^{-1}$  and  $\Omega_0 = 1.0$ ) are observed to approximately surround the quasar. One of the wisps appears to pass through a companion galaxy that is located at a projected distance of 3 kpc from the center of the quasar light. The companion galaxy, if located at the distance of PKS 2349-014, has an intrinsic size and luminosity similar to the Large Magellanic Cloud. A faint extended nebulosity, which is detected over a region of  $35 \text{ kpc} \times 50 \text{ kpc}$  and is centered about 5 kpc from the quasar nucleus, overlaps the wisps. The immediate environment of PKS 2349-014 is different from the environments of the other eight luminous quasars that we have studied previously with HST. If the*

Document Done

## Astrophysical Journal, Framed HTML from 2002

**Oscosz et al., Brightness Enhancement in Q0957+561 - Netscape**

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location: <http://www.journals.uchicago.edu/ApJ/journal/issues/ApJL/v573n1/16191/16191.html> What's Related

**Browse**

- ▶ Previous Article
- ▶ Next Article
- ▶ Issue Contents

**Search**

- ▶ Similar Articles
- ▶ Articles by These Authors
- ▶ All UCP Astronomy Journals
- ▶ References to This Article

**Other Formats**

- ▶ PDF (74kb)
- ▶ PostScript
- ▶ NASA ADS Record

**Article Contents**

- ▶ Top of Article
- 1. INTRODUCTION
- 2. THE 2000 AND 2001 MONITORING CAMPAIGNS
- 3. DISCUSSION
  - 3.1. Intrinsic Variability of the Source
  - 3.2. Microlensing
- 4. FINAL REMARKS
- REFERENCES
  - ▶ Table
  - ▶ Figures

The Astrophysical Journal, 573:L1-L4, 2002 July 1  
© 2002. The American Astronomical Society. All rights reserved. Printed in U.S.A.

## A Large Brightness Enhancement of the QSO 0957+561 A Component

A. Oscosz, D. Alcalde, M. Serra-Ricart, E. Mediavilla, and J. A. Muñoz  
*Instituto de Astrofísica de Canarias, E-38205 La Laguna, Tenerife, Spain; [aoscosz@ll.iac.es](mailto:aoscosz@ll.iac.es), [dalcalde@ll.iac.es](mailto:dalcalde@ll.iac.es), [mserra@ot.iac.es](mailto:mserra@ot.iac.es), [emg@ll.iac.es](mailto:emg@ll.iac.es), [jmunoz@ll.iac.es](mailto:jmunoz@ll.iac.es)*

*Received 2002 March 8; accepted 2002 May 23; published 2002 June 4*

**ABSTRACT**

We report an increase of more than 0.2 mag in the optical brightness of the leading image (A) of the gravitational lens Q0957+561, detected during the 2000 September to 2001 June monitoring campaign (2001 observing season). The brightening is similar to or even greater than the largest change ever detected during the 20 yr of monitoring of this system. We discuss two different provisional explanations of this event: intrinsic source variability or microlensing (either short-timescale microlensing or cessation of the historical microlensing). An exhaustive photometric monitoring of Q0957+561 is needed until the summer of 2002 and during 2003 to discriminate between these possibilities.

*Subject headings:* gravitational lensing—quasars: individual (QSO 0957+561)

### 1. INTRODUCTION

The first identified lens system discovered, Q0957+561 (Wolfe, Gunnell, & Warren 1970), has been

## Astrophysical Journal, 2007 HTML

Chicago Journals - The Astrophysical Journal Letters - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://www.journals.uchicago.edu/doi/full/10.1086/309548

Joel on Software Publishing Frontier Microsoft Watch KUSC Neil Beagrie's Blog Inside PDF Norman.Walsh

Chicago Journals - Th... IT Manager's Journal :: T...

CHICAGO JOURNALS Home | Subscriptions Access provided by Portico Help | My Profile | Log In

All Journals > The Astrophysical Journal Letters > 1995 July 1 > PKS 2349014

THE ASTROPHYSICAL JOURNAL LETTERS  
Published for The American Astronomical Society  
See also: The Astrophysical Journal | The Astrophysical Journal Supplement Series

Search Journal  in This Issue

Advanced Search

Current Issue All Issues Forthcoming Recent Editorials About ApJL For Authors Related Information

Issue: 1995 July 1  
\*Previous Issue | Next Issue\*  
\*Back to Table of Contents

1995 July 1 Next Article\*  
PDF Version | Add to Favorites | Email | Track Citations | Download to Citation Mgr

Volume 447, Number 1

The Astrophysical Journal, 447:L1-L4, 1995 July 1  
© 1995. The American Astronomical Society. All rights reserved. Printed in U.S.A.  
DOI: 10.1086/309548

**SEE ERRATUM**

**PKS 2349-014: A Luminous Quasar with Thin Wisps, a Large Off-Center Nebulosity, and a Close Companion Galaxy<sup>1</sup>**

John N. Bahcall and Sofia Kirhakos  
Institute for Advanced Study, School of Natural Sciences, Princeton, NJ 08540  
and Donald P. Schneider  
Department of Astronomy and Astrophysics, Pennsylvania State University, University Park, PA 16802

**ABSTRACT**  
*Hubble Space Telescope (HST)* images (WFC2) of PKS 2349-014 show that this luminous nearby quasar is interacting with diffuse (presumably galactic) material. Two thin wisps that have a total extent of about 20 kpc (for  $H_0 = 100 \text{ km s}^{-1} \text{ Mpc}^{-1}$  and  $\Omega_0 = 1.0$ ) are observed to approximately surround the quasar. One of the wisps appears to pass through a companion galaxy that is located

Article Contents  
Article Sections  
1. INTRODUCTION  
2. OBSERVATIONS  
3. DISCUSSION  
REFERENCES  
Cited by  
Tables  
Figures

Article Tools  
Rights and Permissions  
View Citations In  
CrossRef  
Related Articles  
3 or more Objects in Simbad  
9 or more Objects in NED  
NASA ADS Record

Search for Related Articles  
By Keyword  
 quasars: individual (PKS 2349-014)  
By Author  
Search In

Done zotero

## Astronomical Journal, 2008 HTML


Richards et al., Broad Emission-Line Shifts in Quasars - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://www.iop.org/EJ/article/1538-3881/124/1/1/201543.html

Joel on Software Publishing Frontier Microsoft Watch KUSC Neil Beagrie's Blog Inside PDF Norman.Walsh

Richards et al., Broad ... Chicago Journals - The A...

 [Journal Homepage](#)  
[Next](#)  
[This volume](#)  
[This issue](#)  
[This abstract](#)  
[Search](#)

Article Contents  
[Top of Article](#)  
**INTRODUCTION**  
[DATA](#)  
[ANALYSIS](#)  
[Distribution of Velocity Shifts](#)  
[Composite Spectra](#)  
[Correlations with Other Properties](#)  
**DISCUSSION**  
[BELR Models](#)  
[The Baldwin Effect](#)  
[Broad Absorption Line Quasars](#)  
[Associated Absorption](#)  
[An Orientation Effect?](#)  
[Future Work](#)  
[CONCLUSIONS](#)  
[REFERENCES](#)  
[Tables](#)  
[Figures](#)

[Download PDF](#)

Related links  
[NASA ADS Record](#)  
[Articles citing this article](#)

THE ASTRONOMICAL JOURNAL, 124:1-17, 2002 July  
 © 2002. The American Astronomical Society. All rights reserved. Printed in U.S.A.

BROAD EMISSION-LINE SHIFTS IN QUASARS: AN ORIENTATION MEASURE FOR RADIO-QUIET QUASARS?

GORDON T. RICHARDS,<sup>1</sup> DANIEL E. VANDEN BERK,<sup>2</sup> TIMOTHY A. REICHARD,<sup>1</sup> PATRICK B. HALL,<sup>3,4</sup> DONALD P. SCHNEIDER,<sup>1</sup> MARK SUBBARAO,<sup>5</sup> ANIRUDDA R. THAKAR,<sup>6</sup> AND DONALD G. YORK<sup>5,7</sup>

Received 2001 December 17; accepted 2002 April 8

ABSTRACT

Using a sample of 3814 quasars from the Early Data Release of the Sloan Digital Sky Survey, we confirm that high-ionization, broad emission lines, such as C IV, are significantly blueshifted with respect to low-ionization, broad emission lines, such as Mg II, which are thought to be close to the systemic redshift. We examine the velocity shifts of the Mg II and C IV emission lines with respect to [O III] and Mg II, respectively. C IV emission-line peaks have a range of shifts from a redshift of 500 km s<sup>-1</sup> to blueshifts well in excess of 2000 km s<sup>-1</sup> as compared with Mg II. We confirm previous results that suggest an anticorrelation between the shift of the C IV emission-line peak and the rest equivalent width of the C IV emission line. Furthermore, by creating composite quasar spectra as a function of C IV shift, we are able to study in detail the profiles of the line as a function of velocity shift. We find that the apparent shift of the C IV emission-line peak is not a shift so much as it is a lack of flux in the red wing of the composite with the largest apparent shift. This observation should strongly constrain models for the broad emission-line region in quasars. The emission-line blueshift and equivalent width of C IV are also discussed in light of the well-known anticorrelation between the equivalent width of C IV emission and continuum luminosity, otherwise known as the Baldwin effect. We further discuss the C IV emission-line shift as a function of other quasar properties, such as spectral index, radio and X-ray detection. We find a possible correlation between the C IV emission-line shifts and the radio properties of the quasars, which is suggestive of orientation as the cause of the C IV velocity shifts. Finally, we explore whether the C IV emission-line blueshifts correlate with the presence of broad absorption line absorption troughs or with narrow, "associated" absorption, and how these might be related to orientation.

Key words: [line formation](#); [line profiles](#); [quasars: emission lines](#); [quasars: general](#)

<sup>1</sup> Department of Astronomy and Astrophysics, Pennsylvania State University, University Park, PA 16802.  
<sup>2</sup> Fermi National Accelerator Laboratory, P.O. Box 500, Batavia, IL 60510.  
<sup>3</sup> Princeton University Observatory, Princeton, NJ 08544.  
<sup>4</sup> Pontificia Universidad Católica de Chile, Departamento de Astronomía y Astrofísica, Facultad de Física, Casilla 306, Santiago 22, Chile.  
<sup>5</sup> Department of Astronomy and Astrophysics, 5640 South Ellis Avenue, Chicago, IL 60637.  
<sup>6</sup> Department of Physics and Astronomy, Johns Hopkins University, 3701 San Martin Drive, Baltimore, MD 21218.  
<sup>7</sup> Enrico Fermi Institute, University of Chicago, 5640 South Ellis Avenue, Chicago, IL 60637.

1. INTRODUCTION

It has long been known that the redshifts derived from different quasar emission lines often do not agree with each other within typical measurement errors. [Gaskell \(1982\)](#) performed the first detailed study of this phenomenon and concluded that high-ionization, broad emission lines, such as C IV, are shifted by a few hundred kilometers per second bluerward of the redshifts determined from low-ionization, broad emission lines, such as Mg II. Subsequent studies ([Wilkes 1984](#); [Espey et al. 1989](#); [Corbin 1990](#); [Tytler & Fan 1992](#); [McIntosh et al. 1999](#); [Sulentic, Marziani, & Dultzin-Hacvan 2000](#)) have confirmed these shifts beyond any shadow of a doubt. Using a sample of more than 2200 active galactic nuclei (AGNs), [Vanden Berk et al. \(2001\)](#) demonstrated that these effects are also present in the sample of quasars from the Sloan Digital Sky Survey (SDSS, [York et al. 2000](#)).

These shifts affect many of the most important issues in quasar-related science (both directly and indirectly). The most obvious area of research that is affected is in the modeling of the phenomena of AGNs, particularly the broad emission-line region (BELR; [Peterson 1997](#); [Krolik 1999](#)). BELR models based on accretion disk winds ([Murray & Chiang 1997](#); [Proga, Stone, & Kallman 2000](#)) will have different dynamics than cloud-based models ([Blumenthal & Mathews 1975](#); [Capriotti, Foltz, & Byard 1980](#)). These differences affect the line profiles and their locations in ways that should be testable.

In addition to investigations of the BELR, investigations regarding associated absorption ([Foltz et al. 1986](#)), broad absorption lines ([Weymann et al. 1991](#)), and the cosmic UV and X-ray background are affected by the apparent blueshift of the C IV emission line. We will comment on each of these issues in turn.

Done

zotero

## One Work: Multiple Renditions

- What Changed? Not much
- Exactly the same PDF in all cases
- Multiple HTML styles derived from SGML/XML source files
  - 5 major versions in 12 years
  - One hopes that web standards will stabilize eventually and publishers will stop changing the presentation so frequently
- Very Minor navigation changes
- Only significant functional change is additional reference linking
  - Made possible by the SGML/XML marked up full text
- Examples can be found from many other publishers as well
  
- What is the “work”? What is the object of preservation?
- An interesting philosophical and practical question



## Portico Lessons Learned

- Content is not perfect
- Software is not perfect
- People are not perfect
- Life is not perfect
  
- Audit trail is essential
  - Tool versions in event metadata helps trace problems
  - Trial by fire early in life of archive
  - CRL Audit report commended this feature of Portico systems
  
- Expect the unexpected!
  - Fixity check revealed 30 minute gap
  - Repaired from replicated content






## EPILOGUE

Some Musicological Analogies





"*Jubilate deo uniuersa terra*" (9<sup>th</sup> Century)

Psalm verses in unheightened (staffless) neumes

From Wikipedia





"*Gaudeamus omnes*"  
from *Graduale Aboense*

Square notation  
(14<sup>th</sup>-15<sup>th</sup> Century)

From Wikipedia



h|12/87

4' Spitzkoppel / 8' Traqueton 8' Tromm  
9' Chorn 1

**VOLUNTARY**

**I**

Soft Organ

Larghetto

Diapasons

Organ Voluntary by William Boyce (18<sup>th</sup> Century)



## Two Visions from the Past

- 18<sup>th</sup>-century sheet music printed on linen paper, as beautiful today as it was 250 years ago
- 19<sup>th</sup>-century sheet music printed on acidic paper, brittle and falling apart as the pages are turned

Technology doesn't always make things better

Which of these two visions will best describe our electronic content centuries from now?



## Questions for the Future

- Will digital objects be lost forever?
  - Physical Preservation
- Will we be able to use them, interpret them, render them?
  - Logical (Format) Preservation
- Will they still have the appropriate information content?
  - Conceptual/Intellectual Preservation
- Were they the right objects in the first place?
  - Quality control

Digital preservation is very new. We need standards and best practices.  
We also need to hedge our bets through diversity.

